DECLARATION OF CONFORMITY

KRATOS SAFETY
689, chemin du Buclay
38540 Heyrieux

Declares that the following new PPE against falls from height, as a Category III product:

Réf.	Description	Standard
FA 30 304 18	Energy absorbing webbing lanyard length 1.80 mtr with a steel screw-locking karabiner and a steel scaffold hook at the ends	EN355 : 2002

- *complies with the 2016/425/EU PPE Regulation, as well as the national standards that transpose harmonized standards, is identical to the PPE relative to the EU Type-examination certificate:*

N°: 2777/10965-01/E01-01

that has been delivered by: SATRA N°2777
Bracetown Buisness Park, Clonee
D15YN2P - Ireland

- *Is submitted to the procedure aimed at 2016/425/EU PPE Regulation under Module D, notified body's control:*

SGS Fimko Oy, N°0598
Takomotie 8,
00380 HELSINKI, Finland

Heyrieux, the 21/02/2020

J.P. COUDERT,
Director

*: KRATOS SAFETY products manufactured before January 2019 are still in compliance with PPE Directive (89/686/CEE PPE Directive), whereas KRATOS SAFETY products manufactured from January 2019 are in compliance with new PPE Regulation (2016/425/EU PPE Regulation) .

Note 1: Products conform to PPE Directive and not in use before April 2019, can continue to be sold on the market until April 2023, as these products have been manufactured before April 2019 and are already on the market (in our stock).

Note 2: Products conform to PPE Directive and still in usage after April 2019 have no limitation of date and can continue to be used depending on the result of annual examination

CE

www.kratossafety.com

Issued to:

Kratos Safety SAS
689 Chemin Du Buclay Lieu-Dit La Muriere
Heyrieux 38540
France

Notified Body: 2777

SATRA customer number: P0122

EU Type-Examination Certificate

Certificate number: 2777/10965-01/E01-01

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:
Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category III product.

Product Reference	Description
	Energy absorbing lanyard consisting of Lanyard with 30mm wide polyester webbing and textile loop attachment points at each end with energy absorber attached.
FA 30 300 10	Length of 1.0 metre
FA 30 300 15	Length of 1.5 metres
FA 30 300 20	Length of 1.8 metres
	Variant with steel scaffold hook at webbing end
FA 30 302 10	Length of 1.0 metre
FA 30 302 15	Length of 1.5 metres
FA 30 302 20	Length of 1.8 metres
FA 30 304 18	Variant with steel scaffold hook at webbing end and karabiner at energy absorber end Length of 1.8 metres
FA 30 307 20	Variant with sewn loop at the energy absorber end and dielectric scaffold hook at the end of the lanyard leg Length of 1.8 metres

Standards/Technical specifications applied:
EN 355:2002

Technical reports/Approval documents:
SATRA: SPC0175746/0925, 21352/0120/SPC-0/2, 45392/0402, SPC0145091/0646, 58638/0516, 56722/0507, 171896/0906, SPC0171896/0906, SPC0173310/0913, SPC0162839/0816/NW, 48332/0417/SPC-0/8, 58638/0516, SPC0189912/1047, SPC0162839/0816/NW Issue 4, SPC0235322/1523 Issue 3, SPC0246396/1622, SPC0235317/1523

Signed on behalf of SATRA: Mohammed Rahman Geoff Graham

Date of issue: **29/03/2019**

Expiry date: **25/07/2023**

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement.

The certificate holder is licensed to mark the products detailed within this certificate in accordance with Annex V (Module B) of the Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment once you have drawn up an EU declaration of product conformity. Please note:

1. Where the product is classified as category III then CE Marking of production is reliant on current compliance with Regulation 2016/425 module C2 or Module D. (Except that specifically produced to fit an individual user).
2. Full details of the certification and product are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturers technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate.
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state government.
8. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
9. SATRA Technology reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials or packaging have been changed and therefore no longer comply with the requirements of Regulation 2016/425.